

ECRM Mako4matic

BRAKENSIEK®

SYSTEMHAUS
No picture available.



ECRM Mako4matic

Exposure technology:

Construction method

Level bed

Source of light

Violet laser diode, 405 nm, 60 mW

max. resolution

3.556 dpi

sheet efficiency

22 records per hour with 2,540 dpi (605 x 745 mm)

Material use:

max. sheet format

635 x 927 mm

min sheet format

385 x 385 mm

automat. sheet supply

Cassettes for 60 and 250 records with automat. Interpaper distance

On-line sheet development

incl. on-line bridge to the developing machine

Inline punch

all Stanzsysteme available

Other:

Base 87 x 336 cm

Height 191 cm

Remarks:

can be easily used by different record dimensions / Stanzsystemen; comfortable record processing on the smallest

space; openly for available workflow solutions

BRAKENSIEK®

SYSTEMHAUS

No picture available.

Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus
GmbH & Co. KG**
Klönnestraße 94
D-44143 Dortmund

BRAKENSIEK®
SYSTEMHAUS



www.brakensiek.com

Tim Brakensiek



 **+49(0)231.985-00 10**



 **+49(0)231.985-2000**