

Heidelberg Topsetter P74

BRAKENSIEK®

SYSTEMHAUS

No picture available.



Heidelberg top setter P74

Exposure technology

Construction method
Outside drum

Source of light
32 Ir-laser diodes, 830 nm

max. resolution
4,000 dpi

sheet efficiency
20 sheets per hour with 2,400 dpi

Material use

max. sheet format
830 x 660 mm

min sheet format
370 x 324 mm

automat.sheet supply
optionally

On-line sheet development
optionally

Inline punch
up to three internal punches, Heidelberg, ONE, Komori, wild boar, customised

Other

Base
183 x 110 cm

Height
115 cm

Remarks

Laser diodes individually interchangeable; automatic distance of the interpaper; no air pressure necessarily;
upgradable from more manual to fully automatic version

BRAKENSIEK®

SYSTEMHAUS

No picture available.

Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der

**Brakensiek Systemhaus
GmbH & Co. KG
Klönnestraße 94
D-44143 Dortmund****BRAKENSIEK®**
SYSTEMHAUS

Mitglied im

**www.brakensiek.com****Tim Brakensiek**

Mitglied des



+49(0)231.985-00 10

Premium Partner



+49(0)231.985-2000