

Fujifilm Luxel T-6000 CTP E



Fujifilm Luxel T-6000 CTP E

Exposure technology

Construction method: Outside drum

Source of light: 16 Ir-laser diodes, 830 nm

max. resolution: 2,540 dpi

sheet efficiency: 10 sheets per hour with 2,400 dpi (B2 format)

Material use

max. sheet format: 830 x 660 mm

min sheet format: 324 x 370 mm

automat. sheet supply: optionally

On-line sheet development: optionally

Inline punch: Heidelberg, Protocol, Komori, wild boar, customised

Other

Base: 175 x 103 cm

Height: 118 cm

Remarks: exposed with 16 LEDs in parallel; all armaments can be carried out easily on site

BRAKENSIEK®

SYSTEMHAUS

No picture available.

Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der



**Brakensiek Systemhaus
GmbH & Co. KG**
Klönnestraße 94
D-44143 Dortmund

BRAKENSIEK®
SYSTEMHAUS

Mitglied im



www.brakensiek.com

Tim Brakensiek

Mitglied des



 **+49(0)231.985-00 10**

Premium Partner



 **+49(0)231.985-2000**