

Presstek Dimension 425 Excel

BRAKENSIEK®

SYSTEMHAUS

No picture available.



Presstek dimension 425 Excel

Exposure technology:

Construction method: Outside drum

Source of light: Presstek Profire Excel laser diodes

max. resolution: 2,540 dpi

sheet efficiency: 11 sheets per hour

Material use:

max. sheet format: 680 x 780 mm*

min sheet format: 240 x 240 mm

On-line sheet development

with Presstek pressure plates not necessarily

Other

Base: 146 x 83 cm

Height: 146 cm

Remarks:

no external climate control urgently; insensitively against dusty surroundings; hybrid grid to 300 lpi illustrateable

*) any intermediate sizes possibly; are automatically recognised with the insertion

BRAKENSIEK®

SYSTEMHAUS

No picture available.

Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus
GmbH & Co. KG
Klönnestraße 94
D-44143 Dortmund**

www.brakensiek.com

 **+49(0)231.985-00 10**

 **+49(0)231.985-2000**

BRAKENSIEK®
SYSTEMHAUS

Tim Brakensiek