

# i30 Scanner



## **i30 scanner**

The highest IMAGE QUALITY QUITE FAST and SIMPLY.  
From the small table scanners you get everything - and more!

- \* Simplex-and Duplex scanner with automatic document move (ADF) for 50 sheets
- \* Up to 25 sides or 50 pictures (Duplex) per minute in Bitonal or colour
- \* Choice by keystroke from up to nine assigned scan uses (e.g., KODAK Capture software)
- \* Integrated PerfectPage-picture processing of Kodak for the highest image quality
- \* Extensive software package including to OCR-based scanning with PDF issue
- \* USB 2.0-interface – incl. map and cable
- \* An easy installation and integration
- \* Fits on every desk

Perfect page with iThresholding: The efficient picture processing function of Kodak which allows scanning of badly readable documents with full speed to you and delivers an extremely high image quality. The productivity is terrifically increased, because renewed Scans or setting changes become superfluous practical.

Automatic sloping situation correction and edge distance for clear and just pictures with full scan speed.

Quick scanning: Up to 25 sides or 50 pictures per minute.

Five issue options - colour, grey steps, Bitonal, Bitonal + grey steps or Bitonal + colour.

One-key company: They can assign up to nine Scan-Anwendungen\* and select this by keystroke. Press afterwards the start key of the scanner to begin scanning with the well-chosen use. (\*Anwendung must be supported)

Software with big functional extent for the highest productivity from the outset.

\* KODAK Capture software Lite: Can be installed within minutes. The programme offers a row of scan functions for nearly all workgroup uses. An actualisation on the full version of the Capture software is easy.

\* READ'S IRIS per Corporate edition offers important functions to quick discovering of text information - including Mehrseiten-text recognition (OCR) and direct change of scanned documents in searchable PDF files.

For IT experts an ISIS driver contained in the scope of supply and one TWAIN driver developed by Kodak make easier the quick system integration. All Kodak picture processing functions are available with full scan speed.

Brightness and Contrast Control: Adapt the colour issue to the intended intended purpose.

VRS compatibility for more Imaging options. Highly competitive picture processing with maximum scan speed.

The electronic Colour-drop-out: Blind undesirable red, green or blue background colours from to improve the processing of forms.

VRS compatibility for more Imaging options and ease of use.

The adaptable electronic Color-drop-out: Remove undesirable frames and lines from forms or undesirable

background colours without exchanging the lamps.

Reliable multiple move recognition for higher scan productiveness.

Quiet company and low place need: Fit easily on every desk.

#### Recommended day volume

- \* Up to 1000 sides

Durchsatz (portrait format, A4), ppm = sides per minute (simplex), ipm = pictures per minute (duplex)

- \* Bitonal/gray steps: Up to 25 ppm / 50 ipm with 200 dpi
- \* Colour: Up to 25 ppm / 50 ipm with 150 dpi; up to 25 ppm / 40 ipm with 200 dpi

#### Picture capture

- \* Single CCD
- \* The grey value depth of the issue amounts to 256 steps (8 bits).
- \* The colour capture depth amounts to 48 bits (16 x 3)
- \* The colour issue depth amounts to 24 bits (8 x 3)

#### Optical resolution

- \* 600 dpi

#### Source of light

- \* Cold cathode fluorescent lamp

#### Issue resolutions

- \* 75, 100, 150, 200, 240, 300, 400 and 600 dpi

#### Document-maximum size

- \* 215 mm x 355.6 mm

#### Document-minimum size

- \* Single sheet move: 50 mm x 87.5 mm
- \* Mehrblatteinzug: 87.5 mm x 125 mm

#### Paper strength and paper weight

- \* 52-105 g/m<sup>2</sup> paper; the special document move supports even other strengths

#### Move

\* ADF: Up to 50 sheets 75 g/m<sup>2</sup> paper; special move for the supply and withdrawal from the front for single documents

#### Multiple move recognition

- \* Length recognition

#### Interface

- \* USB 2.0 (map and cable included in delivery)

#### Provided drivers and software

- \* TWAIN-and ISIS driver
- \* KODAK Capture software Lite
- \* READ'S IRIS per Corporate edition

#### Imaging functions (scanner)

- \* Perfect page Scanning with iThresholding
- \* Adaptive threshold value regulation
- \* Sloping situation correction
- \* Automatic edge distance
- \* Relative edge distance
- \* Aggressive edge distance
- \* Electronic Color-drop-out
- \* Simultaneous issue of Bitonal and colour pictures or Bitonal-and horror step pictures
- \* Colour processing tables

#### Issue file formats

- \* BMP, TIFF and JPEG (searchable PDF files with the help of the provided software)

#### Electric company standards

- \* 100-240 V (internationally), 50/60 hertz

#### Power consumption

- \* Standby mode: <12 watts
- \* In the company: <30 watts

#### Surroundings factors

- \* ENERGY star-compliant scanners
- \* Operating temperature: 10-35 °C
- \* Air humidity at company: 10% to 85%

#### Noise development (sound pressure level recorder Standby mode: in the operating position)

#### Move

- \* ADF: Up to 50 sheets 75 g/m<sup>2</sup> paper; special move for the supply and withdrawal from the performs statute labour for single documents

#### Multiple move recognition

- \* Length recognition

## Interface

- \* USB 2.0 (map and cable included in delivery)

## Provided drivers and software

- \* TWAIN-and ISIS driver
- \* KODAK Capture software Lite
- \* IRIS READ'S by Corporate edition

## Imaging functions (scanner)

- \* Perfect page Scanning with iThresholding
- \* Adaptive threshold value regulation
- \* Sloping situation correction
- \* Automatic edge distance
- \* Relative edge distance
- \* Aggressive edge distance
- \* Electronic Color drop-out
- \* Simultaneous issue of Bitonal and colour pictures or Bitonal-and horror step pictures
- \* Colour processing tables

## Issue file formats

- \* BMP, TIFF and JPEG (searchable PDF files with the help of the provided software)

## Electric company standards

- \* 100-240 V (internationally), 50/60 hertz

## Power consumption

- \* Standby mode: <12 watts
- \* In the company: <30 watts

## Surroundings factors

- \* star compliant ENERGY scanners
- \* Operating temperature: 10-35 °C
- \* Air humidity at company: 10% to 85%

## Noise development (sound pressure level recorder Standby mode: in the operating position)

**BRAKENSIEK®**  
SYSTEMHAUS



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MwSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der



**Brakensiek Systemhaus  
GmbH & Co. KG  
Klönnestraße 94  
D-44143 Dortmund**

**BRAKENSIEK®**  
**SYSTEMHAUS**

Mitglied im



**[www.brakensiek.com](http://www.brakensiek.com)**

**Tim Brakensiek**

Mitglied des



**+49(0)231.985-00 10**

Premium Partner



**+49(0)231.985-2000**