

Hochleistungsobjektiv v SP 300mm

BRAKENSIEK®
SYSTEMHAUS



High-capacity objective SP 300 mm of fa / 2.8 LD [IF]

The light-strong high-capacity objective for the demanding pro. The high luminosity provides for quick response times and shutter speeds. Two big glass elements LD and Innenfokussierung provide for sharp and high-contrast pictures. Ideally for the action photographer with sports photograph, animal photograph, fashion photograph and theatrical photograph.

Data

Article number 360 B

Groups - elements 7-10

Angle of vision 8

Number of screen lamellae 9

The smallest screen 32

the shortest set distance [m] 2.5

Max image ratio 1:7,1

Filter size [mm] 43 (front 112)

Weight [g] in 2209 (2269)

The biggest diameter x construction length [mm] 150 x 208 (212,5)

Luminosity 2.8

Focal length [mm] 300

Solar screen

soft bag

BRAKENSIEK®
SYSTEMHAUS



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus
GmbH & Co. KG**
Klönnestraße 94
D-44143 Dortmund

BRAKENSIEK®
SYSTEMHAUS



www.brakensiek.com

Tim Brakensiek



 **+49(0)231.985-00 10**



 **+49(0)231.985-2000**