

APC NetBotz 420 Rack Appliance with Camera

BRAKENSIEK®
SYSTEMHAUS



APC NetBotz 420 Rack Appliance with Camera

Ideal for rack mounting network equipment for environmental monitoring and surveillance of computer rooms and network closets.:

Includes: Cable mounting kit, CD with software, Door sensor, Installation guide, Null-modem

Product Features:

Access via browser

Digital watermarking for video clips

Encoding

Event-oriented video store

A moving picture video camera

Handheld device holder

NetBotz Surveillance Features

Motion video camera: Customize and capture a visual record of the full-screen device. Masking and sensitivity settings prevent nuisance alarms

Access control: detection of access by unauthorized persons on the door switch or motion detector.

Notification when an error occurs: The notification via mobile phone (SMS), Web applications (HTTP Post), E-mail and SNMP ensures critical errors in their rapid elimination.

Flexibility

Adjustable threshold: Customize threshold definitions (multiple thresholds per sensor, planning, grades) to your own requirements.

Escalation strategies tailored to customer needs: Alerts are managed according to your escalation policies and received in different formats.

Handheld device holder: Sends PDA-formatted alerts with pictures and links to live video on your Palm / Blackberry / PocketPC.

Setup Wizard: Easy to use wizards speed deployment by shortening the setup time.

Total operating costs

Smart Device: Built-in software allows the device to detect the threat level and provides an alert to reduce the network bandwidth.

Scalable architecture: Simple support for small cabinets to large data centers and enterprise-wide installations or remote installations.

Advanced View client application: The rugged device interface provides historic alerts, graphs, and configuration.

Efficient management of up to ten appliances without a central Verwaltungsserver. Zugriff via browser: Access to Basic View from anywhere on the network, saving time through quick access to sensor data.

Event-oriented video memory: The video memory, triggered by motion or warnings, saving disk space and bandwidth for WAN transmission.

Protection

Read-only access: use access controls to prevent unauthorized configuration changes to the systems.

Encryption: Effective access control and integrity for SSL browser and SSH sessions

Onboard data storage: Saves current alerts, sensor data, and video clips on the NetBotz device for up to 24 hours.

Digital watermarking for video clips: Provides a "watermark" signature for the detection of clip integrity and to support the usefulness in court.

Camera opening: Decline of the recording of sensitive camera field areas such as monitors and keyboards.

Manageability

Custom Mapping: Importing images to a physical layout map to display packages / sensors against a relevant background - one card per unit.

Alarm View: Simple test and correlation warnings. Provide context to alerts by adding video clips, graphs and maps.

Centralized management: Provides centralized management and control of a large network of devices.

Specifications:

General

Camera Resolution: Up to 640x480

Sensor Temperature Range: 1.6 ° C to 48.8 ° C (35 ° F to 120 ° F) + / - 1 ° C. Humidity Sensor Range: 10% to 90% non-condensing + / - 5% RH

Number of Additional Camera Pods: 1

Total Non-Camera Pods Supported: 4

Type of Camera Pods Supported: Camera Pod 120

Lens: C-mount lens with included CS adapter. Replaceable with standard lenses 1/2_

External Sensor Ports: 4

Number of Additional Sensor Pods: 1



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus
GmbH & Co. KG**
Klönnestraße 94
D-44143 Dortmund

BRAKENSIEK®
SYSTEMHAUS



www.brakensiek.com

Tim Brakensiek



 **+49(0)231.985-00 10**



 **+49(0)231.985-2000**