

# proofSIGN - fast & easy proof verification inc. Gretag Eye-One Proof



**proofSIGN with Gretag Eye-One Proof is a fast and easy proof verification application and includes the eye-one spectrophotometer**

Be sure your proofs are colour accurate and match ISO or your own standards and with the Eye-One Proof you can create your own proof profiles and monitor profiles

Measure and evaluate your proofs quickly and easily with proofSIGN and the GretagMacbeth Eye-One and profile your monitors.

Print out the supplied control strip or use a FOGRA media wedge with your job and measure it with the GretagMacbeth Eye-One spectrophotometer.

**What You Get**

- proofSIGN, proof verification software
- Eye-One Pro measurement device(spectrophotometer)
- Software Eye-One Match 3.4 for profiling of:
- Printer - CMYK advanced and RGB Easy
- Monitor - LCD, Laptop and CRT
- Scanner
- Digital Projector (software only)
- Digital Camera
- Editor
- Facility to measure spot colours
- Monitor Holders (CRT & Flat Panel)
- Positioning target
- New Style Scanning Ruler with Back up board
- Carrying Case
- Eye-One Scan Target (reflectance)
- mini ColorChecker Chart
- Ambient Light: Measurement Head

Evaluate the results on screen.

Print out a label and attach it to the proof. Send the proof with the pass to your client and the pressroom with confidence that the proof is absolutely correct

Keep a detailed pdf about the proof for your records or email it for remote proofing purposes.

proofSIGN gives you a choice of ISO standard targets:

- ISO Coated - ISO 12647-2 paper types 1/2
- ISO Uncoated - ISO 12647 -2 paper type 4
- ISO Web coated - ISO 12647-2 paper type 3
- ISO Newspaper ISO 12647-3

The proofSIGN screen evaluation and printed label show the DeltaE tolerances and the measured results for the paper colour, the primaries and an average for the secondary colours. The pdf gives you a detailed report for each colour on the control strip as well as the paper colour.

**proofSIGN System Requirements****Macintosh®**

Mac OS 10.3 or later

64Mb RAM

2 USB ports (one for the Eye-One, one for the label printer)

Label printer - label size 88mm x 36 (recommended Dymo labelwriter 400 label 99012)

Colour Monitor

GretagMacbeth Eye-One

**PC**

Windows® 2000 or XP

64Mb RAM

2 USB ports one for Eye-One, one for label printer

Label printer - label size 88mm x 36 (recommended Dymo labelwriter 400 label 99012)

GretagMacbeth Eye-One

**BRAKENSIEK®**  
SYSTEMHAUS



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus  
GmbH & Co. KG  
Klönnestraße 94  
D-44143 Dortmund**

**[www.brakensiek.com](http://www.brakensiek.com)**

 **+49(0)231.985-00 10**

 **+49(0)231.985-2000**

**BRAKENSIEK®**  
**SYSTEMHAUS**

**Tim Brakensiek**