

Fujifilm Luxel T-9800 CTP E/S

BRAKENSIEK®

SYSTEMHAUS

No picture available.



Provider: Fujifilm

Price from (€): from € 174.000/186.000

Applications: commercial, packaging, book

exposure technique

Construction: outer drum

Light Source: GLV imaging head with 512 channels, 808 nm

Max.resolution / grid: 4,000 dpi, 20 micron

max.Plattendurchsatz: ca.24/32 plates / hour. (B1-format, 2,540 dpi))

material handling

Maximum plate size: 1.160 mm x 940 mm

minimum plate size: 304 mm x 370 mm

Automatic / drive capacity: 100 sheets in the SAL, 5 x 100 sheets in the multi-autoloader

Available punching systems: Heidelberg, Protocol, komori, Bacher, customized

Other

Width x Depth x Height: 242 x 130 x 129 cm

Notes: modular, upgradeable therefore locally

BRAKENSIEK®

SYSTEMHAUS

No picture available.

Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der

**Brakensiek Systemhaus
GmbH & Co. KG
Klönnestraße 94
D-44143 Dortmund****BRAKENSIEK®**
SYSTEMHAUS

Mitglied im

**www.brakensiek.com****Tim Brakensiek**

Mitglied des



+49(0)231.985-00 10

Premium Partner



+49(0)231.985-2000