

Fluke 8600AU Digital Multimeter



The Fluke 8600 A is a portable digital multimeter with a 4-1/2-stelligen display.
His five functions include the measurement of current, voltage and resistance.
Choosing the most suitable voltage or resistance range can also be done in auto range mode.

Ranges (each scale)

- DC voltage: ± 200 mV, ± 2 V, ± 20 V, ± 200 V, ± 1200 V
- DC current: ± 200 μ A, ± 2 mA, ± 20 mA, ± 200 mA, ± 2000 mA
- AC (effective): 200 mV, 2 V, 20 V, 200 V, 1200 V
- AC: 200 μ A, 2 mA, 20 mA, 200 mA, 2000 mA
- Resistance: 200 Ohm to 20 MOhm.



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der

**Brakensiek Systemhaus
GmbH & Co. KG
Klönnestraße 94
D-44143 Dortmund****BRAKENSIEK®**
SYSTEMHAUS

Mitglied im

**www.brakensiek.com****Tim Brakensiek**

Mitglied des

 **+49(0)231.985-00 10**

Premium Partner

 **+49(0)231.985-2000**