

Auerswald COMfortel 1100 system phone



Auerswald COMfortel 1100 system phone

in black

Comfort to the savings rate

They are in search of favorable phones for your Auerswald-phone arrangement, however, do not want to miss the comfort of a system phone? Then the digital system phone COMfortel 1100 is the right decision. Speak without notes, the access to the central phone book of the arrangement and an easy note function during a conversation wishes hardly leave open. Nearly all investment functions are explained comfortably by keystroke and are signalled about Status-LEDs. The intuitive user guidance is simply clear and increases the ease of use.

To find an invention of the Auerswald development and only with these phones: The COMfortel 1100 can be pursued without rebuilding alternatively in a S0 or UP0 port of the phone arrangement and automatically appears in the connection kind. It is available in the colour black.

The highlights of the COMfortel 1100:

Automatic recognition of the connection kind S0 or UP0
Stream savings function

Electricity supply over the system connection;
no separate net part necessarily

1-zeiliges LC display with 16 alphameric signs
Programmable keys for occupied functions, aim choice functions and investment functions

Keyboard with varied inscription and clearly perceptible pressure point

Ergonomically form-optimised receiver

The best acoustic properties in all modes of operation
Menüsprache one adjustable

and and and...

The COMfortel 1100 is conceived for the Auerswald-phone arrangements#

The features of the COMfortel 1100:

Supported Auerswald-phone arrangements

COMpact 2204 USB, in 2206 USB, in 4410 USB

COMpact 3000 analogously, ISDN, VoIP

COMpact 5010 VoIP, 5020 VoIP

COMmander Basic.2, business

Connection possibilities

1 S0 or UP0 port to the phone arrangement (west socket)

Automatic recognition of the connection kind

Electricity supply over the system connection

(S0-/UP0 port), no net part necessarily

Display

1-zeiliges LC display with 16 alphanumeric signs

Phone numbers and name announcement
(CLIP and CNIP)

Time announcement and data announcement

Fees and unities announcement

Announcement of investment functions and investment settings

Menüsprache one adjustable:

In German, English, French, Italian, Dutch, Danish, Spanish, Swedish, Greek

Phone book and call lists

Access to the central investment phone book

Name search in the central phone book of the phone arrangement

30 short choice aims as aim choice keys programmierbar¹

Phone numbers and name announcement (CLIP / CNIP) from the central phone book of the phone arrangement

List of the last 10 unanswered phone calls with phone number, name, date and time

Central caller's list for Gruppen²

List of the last 10 carried on conversations with phone number, name, date and time

Electoral repetition of the last 10 elective phone numbers

Security functions

Phone castle, emergency calls furthermore possibly

Einrichtsperre with password protection

Close of single phone functions possibly

Fee management

Cost capture of the last and all talks
Rate unities adjustable

System and comfort signs

All achievement signs ISDN of the phone arrangement are supported
Stream savings function automatically after time, on keystroke or dependent on configuration activatable

Aim choice keys and Belegtlampenfeld¹

Line keys with state announcement of the Ämter¹

Specific allocation of MSNs / DDIs¹
Provider's announcement (with Soft-LCR easily and Soft-LCR 4 in the phone arrangement) ²

Functional keys with state announcement to the control of Anlagenfunktionen¹

Groups and team function, Login key for groups or Teamzugehörigkeit¹

Makrofunktion¹, complicated functional expiries on a keystroke
Further inquiry / also Mediate directly about the Zielwahltasten¹

Phone call protection (rest before the phone)

Passing on of calls without previous acceptance (Call Deflection) ²

Sound choice during the conversation

Electoral preparation / electoral correction

8 bell melodies,
about provided PC software COMfortel Melody individual melodies loadable

Enlarged call differentiation, e.g., own office phone number or group

Automatic acquitting in internal branch talks programmable (InterCom)

Announcement to the system phones, also in groups (InterCom / InterCom in group)

Sound hearing / Acquit

Adjustable volume for ringing tones, telephone handset (listener) and speaking without notes

Microphone muting

Installation and servicing

Automatic S0-/connection recognition UP0
Comfortable configuration with the software COMfortel Set

Extent of the menu adjustable

Configuration above the interfaces of the phone arrangement (Windows, Mac OS X and Linux)

Distant reading, distant programming about office (password protection)

Manual or time-steered software update about ISDN, with copy function for other connected COMfortel 1100 and in 1500

1 occupied lamps keys, lines keys, aim choice keys and control keys are signs of the programmable functional keys.

The COMfortel 1100 orders more than 15 keys with 2 possible functions key (2 levels).

2 with COMpact 3000 / 5010 VoIP / 5020 VoIP and COMmander Basic.2 / business.

You take information about the Anschaltung of Headsets of other manufacturers please from the following documents (PDF files to the download):

GN Netcom; connection of string-engaged and cordless Headset

Plantronics; connection of string-engaged and cordless Headset

If in these documents the COMfortel 1100 is not performed, you can use the description to the Anschaltung of the COMfortel 1500.

The technical data of the COMfortel 1100:

Company tension about the internal S0 or UP0 port of the phone arrangement

Achievement admission min 0.5 W, max. 2 W

System connection internal S0 or UP0 port of the phone arrangement

Announcements 1-zeiliges LCD with 16 signs, 18 LEDs (partly multicolored)

Operating elements Wähltastatur with Vanity code, 17 functional keys, 15 programmable functional keys (2 levels)

Receiver Elektret microphone, dynamic hearing capsule, compatibly with hearing aid

Loudspeaker 8 ohms, Ø 66 mm

Hookswitch magnetic switch contact

Case plastic

Colour black

Dimensions (B x T x H) 261 mm x 216 mm x 89 mm

Weight approx. 920 g

Security, licensing CE



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus
GmbH & Co. KG
Klönnestraße 94
D-44143 Dortmund**

www.brakensiek.com

 **+49(0)231.985-00 10**

 **+49(0)231.985-2000**

BRAKENSIEK®
SYSTEMHAUS

Tim Brakensiek