

# Ipagsa Arte IP-21 als Alternative zur Kodak Exel z.B. für Creo Lotem 400VA

**BRAKENSIEK®**  
SYSTEMHAUS



Ipagsa Arte IP-21 as an alternative to Kodak eg Exel Creo Lotem 400VA

The Spanish Ipagsa brings a new thermal plate, the Arte IP-21 on the market. The Arte IP-21, which originated in the laboratories of Ipagsa fulfill the stringent requirements of the printer in terms of graphical quality dot reproduction, high volume and optimal behavior in the press, the company announced. The Arte IP-21 put a new standard for thermal CTP system dar. This was due to their outstanding physical and sensitometric properties that had been achieved with newly developed formulas for the light-sensitive emulsion, as well as innovative technological solutions in production.

We are always looking for cheap suppliers for Ipagsa Arte IP-21.



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.



**Brakensiek Systemhaus  
GmbH & Co. KG**  
**Klönnestraße 94**  
**D-44143 Dortmund**

**BRAKENSIEK®**  
**SYSTEMHAUS**



**[www.brakensiek.com](http://www.brakensiek.com)**

**Tim Brakensiek**



 **+49(0)231.985-00 10**



 **+49(0)231.985-2000**