


pressSIGN-suite - complete colour verification package



pressSIGN suite - complete colour verification package

What You Get

- pressSIGN colour verification of press sheets
- proofSIGN colour verification of proofs
- colour verification & profiling of all monitors GretagMacbeth Eye-One
- Spot colour measurement both Lab, Delta E, Dot Area & Density
- colour verification for ambient light
- Optional Dymo Label Printer available (see bundle options at bottom of page)

pressSIGN suite

pressSIGN suite provides everything you need to check your press run, your proofs your spot colours and your monitors. Reassure your clients that you are conforming to specific standards. Rely on your monitor, your proofs and the final press run to be colour accurate. It's now possible and affordable to achieve consistently accurate colour throughout the production cycle.

pressSIGN suite makes it easy to meet international printing standards:

- **monitor colour verification.** Use the Eye-One to calibrate the monitor. Confirm that the monitor is accurate enough to make colour judgements. Any discrepancies between client proof and what's seen on the monitor can then be addressed at the earliest possible time.
 - **proof verification.** Set up your proofer to meet ISO 12647-2 or any target CMYK profile. Test the proofers accuracy with proofSIGN. Know that your proofs will match the press sheets. Confirm with your clients exactly how the final print run will appear, provide your minders with colour accurate proofs
 - **Spot colour verification.** Check spot colours on both the proof and press sheet. Compare the printed colour with any Lab value from Pantone guide or any other source. Type in a Lab value and and measure the difference (Delta E) from the actual printed sample. Compare two readings. Before you go to press check the ink drawn downs from your ink supplier.
- Compare density readings, Dot Area values and Delta E so that you can measure colour anywhere on your proofs and presssheets.
- **press colour verification.** Add the pressSIGN control strip to one of your jobs. Read the control strip straight from the press and adjust the density settings to those recommended by pressSIGN. Read the control strip when dry and update the dry-back readings. Now adjust the plate curve as recommended by pressSIGN. The next run of the press will be colour accurate.
 - **colour verification reports.** pressSIGN suite enables you to produce a label for both press sheets and proofs. Generate a detailed pdf report on the colour status of your proofer and press. Give your clients a report on the job. Save a record for your files showing the colour accuracy of the job.
 - **ambient light verification.** Confirm that your controlled lighting is calibrated and set to D50

When you have pressSIGN suite you'll have the tools to meet ISO 12647 & GRACol G7 printing standards.



Please only contact us via our registration form and only if you are a business person yourself. Every offer is subject to prior sale and includes your acceptance to our terms & conditions [Terms and conditions \(AGB\)](#). All logos and trademarks on this site are the property of their respective owners.

You will always receive an invoice including tax, which can be paid via wire transfer, in advance or cash. If you register on paypal, you may also pay by charging your paypal account with your credit card. If you are an EU member and you have a validated tax number which can be validated here: [VIES VAT number validation / MwSt.-Informationsaustauschsystem MIAS\) Validierung der MWSt.-Nummer](#) then you pay tax-free. If you are from outside the EU, you can only pay tax-free, if the export is done with the transport company, called 'Schenker'. If you are not using 'Schenker', we cannot guarantee that we will get the export confirmation in time. In that case, you have to pay tax and you get it.

Mitglied der

**Brakensiek Systemhaus
GmbH & Co. KG
Klönnestraße 94
D-44143 Dortmund****BRAKENSIEK®**
SYSTEMHAUS

Mitglied im

**www.brakensiek.com****Tim Brakensiek**

Mitglied des

 **+49(0)231.985-00 10**

Premium Partner

 **+49(0)231.985-2000**